

Community Workbook on Evidence-based Prevention



**A Product of the Minnesota Evidence-based Practices
Workgroup and the Minnesota SPF SIG Project**

This workbook is a publication of the Minnesota Department of Human Services Alcohol and Drug Abuse Division (ADAD).

The contents of the workbook were prepared by the Minnesota Evidence-based Practices Workgroup (EBPW), which consists of a panel of experts from the fields of public health, community prevention, research and evaluation, and training technical assistance. The EBPW was formed in 2010 to support Minnesota's implementation of a new statewide grant from the U.S. Substance Abuse and Mental Health Services Administration - the Strategic Prevention Framework State Incentive Grant, also known as SPF SIG. As required by the terms of Minnesota's federal grant, the role of the EBPW is to provide ongoing advice and counsel to the SPF SIG Advisory Council and SPF SIG grantees on the selection and implementation of evidence-based prevention programs and practices.

A special thank you to the following authors and EBPW members who greatly contributed to the development of this workbook:

Jessica Meyerson

Roy Kammer

Cecil White Hat

Tou Thai Lee

Dana Farley

Phyllis Bengston

Barb Schillo

Sheila Nesbitt

Mikki Miller Hoium

Molly Patil

Table of Contents

Part I.	Introduction	4
Part II.	Determining Best Fit	6
	A. Conceptual and Practical Fit	6
	B. Comprehensive Program Design	8
Part III.	What Exactly are Evidence-based Programs and Practices?	10
	A. Common Definitions of Evidence-based	10
	B. SAMHSA Definitions of Evidence-based	10
	C. Definition One: Inclusion in a Federal Registry	11
	D. Definition Two: Reported in a Peer Reviewed Journal	13
	E. Definition Three: Other Documented Sources	15
Part IV.	Fidelity Considerations	18
Part V.	Cultural Considerations	20
Part VI.	Appendices: Tools and Resources	22
	A. Directory of Federal Registries	22
	B. Other Resources and Worksheets Developed by the EBPW	24
	i. MN SPF SIG Strategy Selection Worksheet	24
	ii. MN Strategy Selection Chart/Overview Worksheet	28
	iii. Types of Strategies Not Likely to be Approved as Evidence-based	29
	C. Peer Reviewed Journals: Public Health/Substance Abuse & Prevention	32
	D. Incorporating Innovative Approaches	35
	E. SAMHSA’s Strategic Prevention Framework	36
	F. Glossary of Minnesota Prevention Terms & Acronyms	40

Part I. Introduction

Most individuals who work in the field of alcohol and drug abuse prevention are at least a little familiar with the concept of “evidence-based” programming. In recent years, it has become more and more common for the public health agencies and foundations that sponsor prevention efforts to state that they will only fund projects that can produce scientific evidence of their effectiveness.

The U.S. Substance Abuse and Mental Health Services Administration (SAMHSA) and the Minnesota Department of Human Services Alcohol and Drug Abuse Division (ADAD) both expect the states and communities they fund to implement evidence-based programs, practices, and policies as part of their prevention work.

Such requirements were put in place to help ensure that scarce prevention resources are being used strategically—by supporting programs with a strong likelihood of success. In addition, the evidence-based practice movement has played an important part in educating many communities and prevention professionals about “what really works” in their fields.

At the same time, the growing emphasis on evidence-based practices and programs has created some significant challenges for community-based prevention professionals, who must now struggle to understand different funders’ standards of evidence and to find appropriate evidence-based programs that they can adapt and apply to their unique communities. This can be especially challenging for diverse communities with varying needs and minority communities, where relevant research is lacking.

This workbook was created by Minnesota’s Evidence-based Practices Workgroup (EBPW) to help local communities and prevention professionals answer some of the most common questions that arise about evidence-based programming including:

- What does it mean for a community prevention program to be evidence-based?
- Where can I find information about evidence-based prevention programs and practices that meet the State’s requirements?
- How do I go about deciding if an evidence-based program is right for my community?
- How do I know if a strategy is a good conceptual fit?
- How do I know if a strategy is a good practical fit?

- How much can I alter or modify a program, once I've selected it, without affecting its results?
- How do I know if I have the right mix of prevention strategies?


Because Minnesota's EPBW was originally formed in 2010 to help implement a specific prevention grant (SAMHSA's Strategic Prevention Framework State Incentive Grant, or SPF SIG), many of the recommendations contained here will be particularly relevant for SPF SIG grantees; however, the authors hope that this workbook will also prove useful to other Minnesota communities and individuals interested in evidence-based prevention programming. Indeed, the main purpose of this workbook is to promote a more thorough and consistent understanding of what evidence-based programming really is and when it should be used across all of Minnesota's communities and prevention professionals.

The recommendations and information contained here are based on an extensive review of relevant prevention literature, including guidance documents produced by earlier SAMHSA-funded Evidence-based Practices Workgroups in other states. However, it is important to note that this document is not intended as a comprehensive guide to prevention, or even a comprehensive guide to all aspects of evidence-based program identification and selection. Individuals and communities interested in continuing their education on these topics will find additional resources and learning materials listed in the appendices to this workbook.

Part II. Determining Best Fit

Evidence of effectiveness is only one of three important criteria to consider in determining if a specific strategy is right for your community. In developing effective prevention programs, it is also essential to consider interventions that represent the *best fit* for the identified community. Two types of fit should be deliberately evaluated to maintain integrity: conceptual fit and practical fit.

A. Conceptual and Practical Fit



Conceptual Fit

The conceptual fit of interventions is best defined by their relevance to the identified community needs. While there are many appealing programs available for intervention, not all programs will prove equally effective for all communities. Optimal effectiveness can only be approached when a selected intervention is carefully targeted to the community's specific characteristics, target populations, and local conditions.

Defining the factors that contribute to substance use: Intervening variables and local conditions


Some of the community- and population-specific characteristics that may need to be considered in selecting an intervention include “*intervening variables*.” These are factors that have been identified through research as being strongly related to or influential in the occurrence and magnitude of substance use problems and consequences. *Risk and protective factors* are one type of intervening variable.

Local conditions describe why something is or is not a problem within your community—it is how the intervening variable manifests itself at the local level. For example, a local condition for the retail access/availability intervening variable may be lax carding practices at a particular local bar or liquor store. Local conditions should be identified by analyzing community-specific data.

For instance, if a community has identified a strong correlation between underage drinking and ease in accessing alcohol from retail outlets, interventions that target environmental factors and unique local conditions, such as high retail density or lax carding and training policies, would seem highly relevant. While other interventions such as parent education and social norming might yield impact, they may not be as effective as interventions that specifically target the factors contributing to underage drinking (prevention professionals sometimes refer to these critical contributing factors as intervening variables; see box at left and page 8 for more on intervening variables and local conditions).

Conceptual fit should be contemplated in a comprehensive manner. To ensure that selected strategies lead to the desired outcomes, communities should use a logic model to test if a strategy will address the community’s characteristics and local conditions, and if the impact on the intervening variables will lead to expected changes in substance

abuse consumption and consequence problems. An example of a simple logic model (using the outcome-based prevention model required for SPF SIG grantees) is provided here.



Beyond intervening variables, other mitigating community characteristics should be considered. Other factors such as religion, education, and culture all interact to form the identity of the community. Consequently, such factors should be considered when judging the potential relevance of a program. Essentially, a strategy with strong conceptual fit logically leads to change in the desired outcomes.

Practical Fit

Practical fit is best accounted for by the community's technical ability to implement a selected program. Even if a program is determined to be relevant based on the community's needs, it may not be feasible to implement the program due to the limitations of a community. For instance, a community may not be ready for an intervention due to a high level of resistance stemming from particular political views.

Sometimes programs may not be implemented because of a community's inability to collectively mobilize the community members necessary to ensure program success. In other situations, a community may simply not have the resources necessary to implement a desired program (human resources, financial resources, educational resources, etc.). In these situations, additional time may be required in order to first build readiness, political will, capacity, and/or resources. Therefore, it is essential to consider what can be practically implemented based on the dynamics and existing assets of the community, as well as the amount of time and resources currently available.

B. Comprehensive Program Design

"Best fit" and evidence-base considerations are important criteria, but there are other guidelines and recommendations that can assist communities in developing a well-rounded prevention plan (e.g., NIDA's Prevention Principles, described briefly in the sidebar).

NIDA's Prevention Principles

The National Institute of Drug Addiction's Prevention Principles are based on numerous research studies on the origins of drug abuse behaviors and the common elements found in effective prevention programs. They summarize years of scientific research about the nature of substance use and abuse and how to prevent it and are organized into three areas: Risk and Protective Factors, Prevention Planning, and Prevention Program Delivery.

The principles are intended to help parents, educators, and community leaders think about, plan for, and deliver research-based drug abuse prevention programs at the community level. A copy of the principles is available in the appendix to this workbook and is also available online at: <http://www.drugabuse.gov/publications/preventing-drug-abuse-among-children-adolescents/prevention-principles>

Targeting Multiple Intervening Variables

Generally speaking, the broader the sphere of impact and the more comprehensive programming is, the more effective communities will be in preventing substance abuse. Therefore prevention planners should try to consider selecting a mix of strategies that address the varying factors that contribute to substance use and abuse. It is important that prevention efforts address multiple intervening variables and the local conditions that contribute to your community's problems.

The Minnesota State Epidemiological Outcomes Workgroup (SEOW) has identified six broad categories of intervening variables:

- Retail Access/Availability
- Social Access/Availability
- Enforcement
- Promotion/Pricing
- Community Norms
- Individual Factors

The degree to which each of the above categories is a problem varies for each community (and each individual). Communities, therefore, need to consider the local conditions within each of the six intervening variable categories. Every community will have different local conditions for each intervening variable area; additionally, the degree to which each intervening variable contributes to substance abuse problems will also vary for every community.

It is important to understand how these factors contribute to your community's problems prior to identifying the strategies you wish to implement. Selecting a variety of strategies that address multiple local conditions and intervening variables will help ensure comprehensive programming.

Part III: What Exactly are Evidence-based Programs and Practices?

Once you have determined what factors and problems your community is trying to address, and what resources and expertise are available, you still need to consider the “evidence-base” of potential strategies.

A. Common Definitions of Evidence-based

Although the term “evidence-based” has become common technical jargon in the field of prevention, it is sometimes hard to clearly define exactly what it means, since different funders, communities, and individuals use the term in different ways. Some organizations and individuals will refer to any prevention approach that can be supported by some sort of research as “evidence-based,” while others will use the term more strictly to apply only to programs and practices that have repeatedly demonstrated their effectiveness in rigorous evaluation studies.

The U.S. Substance Abuse and Mental Health Services Administration (SAMHSA) broadly defines the term evidence-based as “signify[ing] that an approach is based in theory and has undergone scientific evaluation. This contrasts with approaches based on tradition, convention, or belief, or anecdotal evidence” (SAMHSA’s National Registry of Evidence-based Programs and Practices, 2011).

B. SAMHSA Definitions of Evidence-based

As part of its SPF SIG grant program, SAMHSA has also provided three more specific definitions of evidence-based programming that grantees and other communities can use to help them identify and select prevention approaches that will meet SAMHSA’s standards. For the purposes of this workbook, the Minnesota EBPW has adopted the SAMHSA definitions of evidence-based. A program or practice is considered evidence-based if:

- It has been included in a federal registry of evidence-based interventions (such as SAMHSA’s NREPP)
- Its effectiveness in achieving target outcomes has been reported in peer review journals (e.g., *The Journal of Primary Prevention*)

- Its effectiveness has been formally documented in other specific ways in the past (for example, through unpublished outcome evaluations) and the program or practice’s effectiveness is supported by the consensus judgment of informed experts.

A more thorough discussion of the three SAMHSA definitions follows.

C. Definition One: Inclusion in a Federal Registry

Overview of Federal Registries

An intervention is considered evidence-based if “it is included in a federal registry of evidence-based programs.” Since the 1990s, several federal agencies have been compiling registries of health and human services programs that they consider to be effective. For example, SAMHSA maintains an extensive registry of effective substance use and mental health programs called NREPP (the National Registry of Evidence-based Programs and Practices), while the U.S. Department of Justice maintains several online directories to effective criminal justice programs.

Most of these federal registries are compiled by teams of federally-funded researchers with years of expertise in program evaluation. They generally feature programs that have achieved positive outcomes and demonstrated their effectiveness in at least one rigorous evaluation. In most cases, they include a brief description of each program’s:

- Core elements
- Target populations
- Demonstrated outcomes

Some registries also provide information about the risk and protective factors and community conditions that are addressed by each program, as well as information about the program’s costs, published curricula and training materials, and opportunities for replication. Some of the most up-to-date and comprehensive federal registries for substance use prevention and treatment include:

- SAMHSA’s National Registry of Evidence-based Programs and Practices (NREPP):
<http://nrepp.samhsa.gov/>

- Centers for Disease Control and Prevention’s Guide to Community Preventive Services:
<http://www.thecommunityguide.org/index.html>
- Office of Justice Program’s Crime Solutions:
<http://crimesolutions.gov/TopicDetails.aspx?ID=53>
- The Agency for Health Research and Quality’s 2010-2011 Guide to Clinical Preventive Services:
<http://www.ahrq.gov/clinic/pocketgd1011/pocketgd1011.pdf>

SAMHSA also maintains an exhaustive list of other, relevant federal registries, which can be found online at: <http://www.samhsa.gov/ebpwebguide/>. A directory of federal registries is also included in Appendix A.

Strengths and Limitations of Federal Registries

Because federal registries like NREPP make it easy to find reliable, user-friendly information about effective prevention programs, they are often a good place to start looking for an evidence-based program that might be right for your community. However, it is important to recognize that federal registries have many limitations. Most significantly:

- Different registries use different criteria for deciding whether or not a program or practice is truly evidence-based; as result, consumers may find that a program that they are interested in is considered “effective” or “evidence-based” by one federal agency, but ineffective or merely “promising” by another.
- Most registries focus on interventions that are easy to evaluate using traditional scientific methods; this means they often emphasize school and family-based prevention programs and practices and de-emphasize community, environmental, and policy-oriented strategies.
- Most of the programs that are featured in federal registries have not been tested in diverse settings or with culturally diverse target populations. As a result, even highly recommended programs may not be right for every community or subpopulation.
- Many federal registries are only updated every two to three years, so they may not contain the most up-to-date research and evaluation findings about promising and effective programs.
- No federal registry is truly comprehensive: each one is limited by its areas of focus, its selection criteria, and the resources it has available for identifying and reviewing new programs.

Because of these limitations, it is extremely important that prevention professionals do not rely solely on federal registries for selecting an evidence-based program or practice for their community.

Identifying a potentially appropriate program in a registry should always be just a first step—one that is followed by further, systematic research about the appropriateness of the intervention for your community. The specific questions you should explore in your follow-up research are outlined in later sections of this community workbook.

D. Definition Two: Reported in a Peer Reviewed Journal

Overview of Peer Reviewed Journals

SAMHSA also considers a program, practice or approach to be evidence-based if its effectiveness has been reported in a peer review journal. A peer review journal is a scholarly periodical in which the articles have been reviewed by an independent panel of experts (scholarly or scientific peers) before being accepted for publication. Any article that fails to be approved by a majority of the experts on the panel will be rejected.

Some of the leading peer review journals in the field of prevention include:

- The Journal of Primary Prevention
- The American Journal of Public Health
- Journal of Public Health Policy

A more comprehensive list of peer review journals in the fields of public health and substance use prevention is provided in the appendix.

As the box below explains, if you are a Minnesota prevention specialist, you may be able to receive some assistance in locating and accessing appropriate peer review journals for your prevention planning.

Tips and Resources: Where to Find Peer Reviewed Articles in Minnesota

There are a number of periodicals that publish articles relevant to substance abuse prevention. While there are many searchable databases of scholarly and peer reviewed journals, most require a subscription. The majority of full-text peer reviewed articles are, therefore, not easily accessed by doing a simple Google search, but there are several options for accessing these databases.

In Minnesota, we are fortunate to have free access to libraries and other organizations that subscribe to many prevention-related journals. One resource for prevention professionals in Minnesota is the library maintained by the Minnesota Prevention Resource Center (MPRC). The MPRC Information Services Coordinator can assist you in searching for such journals or articles.

Public libraries are another excellent resource. For example, you can use your library card barcode to search databases such as EBSCO for full-text peer reviewed journals that are not available through a standard internet search.

Finally, Minnesota communities participating in the SPF SIG grant process may be able to request literature searches and peer review journal articles from the Wilder Research Library in St. Paul. Grantees should confer with their Wilder Research evaluation consultant about this resource.

Assessing and Applying the Evidence in Peer Review Journal Articles

Unfortunately, using peer review journal articles can sometimes be challenging for community-based prevention specialists, because they are usually written in technical language for specialized audiences. As a result, it may require considerable research expertise to understand the evidence presented. In addition, studies in peer review journal articles often exclude practical aspects of program implementation (e.g., how much training is required to implement a particular model, what are its costs, etc.) To ensure that you make the best possible use of peer review publications, you may want to use the following checklist to review articles:

- Are you certain the publication is peer reviewed (not all scholarly and scientific journals are)?
- Is it clear who funded, implemented, and evaluated the program?
- Does the article include contextual information about the community in which the program was implemented?
- Was there a clear research question identified, or was it clear ahead of time what was being measured?
- Does the article provide a description of the program/approach's conceptual model?
- Does the article clearly spell out its outcomes?

- Does the article address intended and unintended results?
- Does the article clearly define the study population?
- Was a comparison or control group used?
- Are other factors that could have contributed to the outcomes identified and addressed?
- What is the overall quality of the study design?
- Can the evaluation or study design be replicated?
- Are critical assumptions that were made spelled out?
- Was fidelity to the program implementation evaluated?
- Is the difference between causation and correlation honored?
- Could there be alternative interpretations of the data?
- Are the results consistent with other related and well-established information?

These questions may be helpful in evaluating the quality of any research materials. Again, the most important question may be whether or not the reported outcomes are relevant to the local conditions, intervening variables, and priority problems you have identified for your community. Consideration of the study's community characteristics and target populations is also extremely important in determining whether or not a study's findings are sufficient to support implementation *in your community*.

E. Definition Three: Other Documented Sources

SAMHSA also allows grantees to identify an appropriate evidence-based intervention for their communities using "other sources of information." However, the process of demonstrating that a program is evidence-based when it does not appear in a federal registry and has not been evaluated in a peer reviewed journal is quite rigorous and demanding.

Guidelines for using other supporting sources

According to SAMHSA's latest guidance, when an intervention is being selected based on other sources of supporting information, ALL FOUR OF THE FOLLOWING GUIDELINES MUST BE MET:


- *Guideline 1: The intervention is based on a theory of change that is documented in a clear logic model or conceptual model.*

- *Guideline 2: The intervention is similar in content and structure to interventions that appear in registries and peer review journal.*
- *Guideline 3: The intervention is supported by documentation that has been effectively implemented in the past, and multiple times, in a manner attentive to scientific standards of evidence and with results that show a consistent pattern of credible and positive effects.*
- *Guideline 4: The intervention is reviewed and deemed appropriate by a panel of informed prevention experts that includes well-qualified prevention researchers who are experienced in evaluating prevention efforts similar to those under review, local prevention practitioners, and key community leaders as appropriate (e.g., officials from law enforcement or the school system or elders from indigenous cultures).*

This third option has been provided to allow communities that cannot identify an appropriate evidence-based prevention approach in federal registries or peer review literature to develop their own prevention strategies. It also provides an opportunity for innovation at the community level.

It is important to note, however, that satisfying the requirements spelled out in SAMHSA's four guidelines can be extremely challenging. For example, even when communities and grantees are able to document their proposed program's theory of change and to demonstrate that similar approaches have been endorsed in federal registries and peer review journals, it can be extremely difficult to produce the documentation to demonstrate a program's past effectiveness. Many communities may also find it difficult to form their own panels of "informed prevention experts" to review and endorse their proposed prevention strategies.

Communities participating in the Minnesota SPF SIG initiative will have the option of having their documentation reviewed and approved by the Minnesota Evidence-based Practices Workgroup rather than a panel of local experts; but, because of the extra burden on communities involved in pursuing Definition III, prevention planners are strongly encouraged to rely on Definition I and II whenever possible.



Whichever definition and source of information is used to learn about potential evidence-based strategies that may be right for your community, it is important to recognize that identifying potential approaches is only one part of the complex process of selecting and implementing and evidence-based prevention strategies. For many people, the most challenging aspect of this process is actually determining which potential programs offer the best “fit” for their community. These issues of “fit” are discussed in Part II of this workbook.

Part IV. Fidelity Considerations

Once you have identified an evidence-based program or strategy that seems right for your community, it will be important to consider whether or not you can implement the strategy exactly as its original developer intended (this is often referred to in prevention literature as implementing the program model with high “fidelity”). In considering how faithfully you can implement a proposed strategy, it may be helpful to pose the following questions:

- Will you be implementing the strategy with a target population that is the same as, or very similar to, the original target population?
- Will you be working in a similar environmental context with similar local conditions?
- Do you have the required program leadership, staff, and expertise to implement the program or strategy as intended?
- Do you have the necessary resources and infrastructure to implement the strategy with the same intensity and frequency as originally intended?
- Are you certain that you can implement the “core components” of the strategy?
- Are there are other important differences in the way you intend to implement the strategy in your community?

It is important to consider these questions before finalizing your strategy selection, because strategies and practices that are implemented with high fidelity are often more likely to achieve their desired outcomes. At the same time, most practitioners trying to replicate proven strategies find it necessary to adapt these strategies, at least a little bit, to fit their local needs.

Balancing fidelity and adaptation can be tricky—because any time you alter a strategy, you may be compromising outcomes. Yet, implementing a program that requires some adaptation may still be more practical and effective for your community than designing a program from scratch. SAMHSA’s Center for Substance Abuse Prevention offers the following basic guidelines for appropriately adapting an evidence-based strategy or intervention to fit your local needs:

- Select programs with the best initial fit to local needs and conditions. This will reduce the likelihood that you will need to make adaptations later on.

- Select programs with the largest effect size. Effect size refers to the magnitude of the effects of an intervention. Policy change interventions generally have larger effect sizes than classroom-based interventions. The smaller an intervention's effect size, the more careful you want to be about changing anything—because you do not want to inadvertently compromise any good you are doing. In general, minor adaptations to programs with large effect sizes are less likely to affect relevant outcomes.
- Change capacity before program. It may be easier to change the program, but changing local capacity to deliver it as it was designed is a safer choice.
- Consult with the experts, including the program developer, an environmental strategies expert, or your evaluator. They may be able to tell you how the intervention has been adapted in the past and how well these adaptations have worked.
- Retain core components. There is a greater likelihood of effectiveness when a program retains the core component of the original intervention. If you are not sure which elements are core, consult the program developer, an environmental strategies expert, or an evaluator.
- Adhere to evidence-based principles. Programs and practices that adhere to evidence-based principles are more likely to be effective, so it is important for adaptations to be consistent with the science.
- Add rather than subtract; doing so will decrease the likelihood that you are eliminating a program element that is important.

For more information, see <http://captus.samhsa.gov/access-resources/about-strategic-prevention-framework-spf#Step4>

Effective cultural adaptation is especially important when it comes to implementation, but adaptations should be carefully planned. Cultural adaptation refers to program modifications that are culturally sensitive and tailored to a particular group's traditional world views.

Too often, people equate cultural adaptation with translation—but it is much more than that. Effective cultural adaptation considers the values, attitudes, beliefs, and experiences of the target audience. And it depends on strong linkages to cultural leaders and access to culturally competent staff.

<http://captus.samhsa.gov/access-resources/about-strategic-prevention-framework-spf#Step4>

Part V. Cultural Considerations:

In every community, it will also be necessary to consider whether or not the strategy you are proposing is “culturally appropriate” or can be implemented and adapted in a culturally competent way. Unfortunately, many of the best known “evidence-based” prevention strategies have not yet been tested with diverse populations, and it can sometimes be challenging to adapt them sensitively and appropriately for use with new populations.

Part of determining fit involves looking at a community's characteristics and understanding the how substance abuse problems, intervening variables, and local conditions impact different cultural groups. This is easier said than done, but in order to be effective, we need to engage all sub-populations of a community to ensure we identify strategies that reach everyone in a culturally appropriate manner.

In considering the evidence-base of a program, it is crucial that you evaluate whether or not a program will impact your target populations in the same way it impacted the original study population.

Regardless of what types of strategies you decide to implement, you should always strive to be culturally competent in terms of content and delivery of prevention programming.

SAMHSA has identified five core elements of cultural competence:

1. Become aware of, accept, and value cultural differences
2. Become aware of one's own culture and values

3. Understand the range of dynamics that result from the interaction between people of different cultures
4. Develop cultural knowledge of the particular community served or to access cultural brokers who may have that knowledge
5. Adapt individual interventions, programs, and policies to fit the cultural context of the individual, family, or community

Though we often think of cultural competence in terms of an individual's skill set, it is crucial that prevention programs honor these elements as well.

SAMHSA has also produced several helpful guidance documents on developing culturally appropriate programming for specific high-risk populations, which practitioners may wish to consult when attempting to adapt specific strategies to their local populations. A list of some of the resources SAMHSA recommends in this area can be found online at: <http://captus.samhsa.gov/access-resources?prevention=96>

Part VI: Appendices: Tools & Resources for Applying the SAMHSA Definitions and Criteria

A. Directory of Federal Registries

SAMHSA's Complete List of Recommended Substance Use Prevention Registries

- [California Healthy Kids](#)
- [Campbell Collaboration](#)
- [Center for the Study and Prevention of Violence](#)
- [Child Trends](#)
- [Cochrane Collaboration](#)
- [Find Youth Info](#)
- [Institute for Research, Education, and Training in Addictions](#)
- [National Implementation Research Network](#)
- [National Institute on Drug Abuse](#)
- [Office of Juvenile Justice and Delinquency Prevention](#)
- [Oregon Mental Health and Addiction Services](#)
- [Promising Practices Network](#)
- [SAMHSA, Division of Workplace Programs](#)
- [SAMHSA's National Registry of Evidence-Based Programs and Practices](#)
- [Social Programs That Work](#)
- [Strengthening America's Families](#)
- [Surgeon General's Office](#)
- [Task Force on College Drinking](#)

SAMHSA's Complete List of Recommended Substance Use Treatment Registries

- [California Healthy Kids](#)
- [Campbell Collaboration](#)
- [Cochrane Collaboration](#)
- [Co-Occurring Center for Excellence](#)
- [CSAT's Addiction Technology Transfer Centers \(ATTCs\)](#)
- [CSAT's Knowledge Application Programs](#)

- [Institute for Research, Education, and Training in Addictions](#)
- [National Implementation Research Network](#)
- [Office of Juvenile Justice and Delinquency Prevention](#)
- [Oregon Mental Health and Addiction Services](#)
- [SAMHSA's National Registry of Evidence-Based Programs and Practices](#)
- [Strengthening America's Families](#)
- [Task Force on College Drinking](#)
- [University of Washington Alcohol and Drug Abuse Institute](#)


Other Recommended Registries

- [CDC's Community Guide](#)
- [County Health Rankings and Roadmaps What Works for Health](#)

B. Other Resources and Worksheets Developed by the EBPW

MN SPF SIG Strategy Selection Worksheet

Complete this worksheet for each strategy being considered for inclusion in your Community Strategic Plan that is intended to address the three SPF SIG Priority Problems. For each identified Local Condition, *a minimum* of two strategies must be considered.



Grantee/Coalition:

Intervening Variable:

Local Condition:

Strategy Being Evaluated:

Other Strategies Being Considered:

Conceptual Fit	1	2	3	4	5	unsure
Referring to the Outcome-Based Prevention Model, how likely is it that the strategy will logically contribute to the desired change in past 30 day alcohol use among 6 th – 12 th graders (1 = not at all likely, 5 = very likely)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
How likely is it that the strategy will logically contribute to the desired change in recent binge drinking among 9 th – 12 th graders (1 = not at all likely, 5 = very likely)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

	1	2	3	4	5	unsure
How likely is it that the strategy will logically contribute to the desired change in recent binge drinking among 18 – 25 year olds (1 = not at all likely, 5 = very likely)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
How likely is it that the strategy will change the local condition listed above (1 = not at all likely, 5 = very likely)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
How likely is it that the strategy will have sufficient reach to impact the intervening variable listed above (1 = not at all likely, 5 = very likely)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
To what extent does the strategy or supporting activities reach across multiple sectors and domains of the community (1 = it does not reach multiple sector or domains, 5 = it reaches many sectors and domains)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
To what extent does the strategy reach the <i>right</i> people—those who have the ability to change the local condition (1 = it does not reach any of the right people, 5 = it reaches all of the right people)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
To what extent does the strategy reach <i>enough</i> people in the target population (1 = it only reaches a small number or percentage of the target population, 5 = it reaches all of the target population)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
To what extent does the strategy align with your targeted intervening variables and local conditions (1 = no alignment, 5 = a high degree of alignment)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
How realistic is it to think that the strategy will have a measurable effect or actually produce positive outcomes in the near future or during the funding period (1 = not at all realistic, 5 = extremely realistic)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
To what extent do you have the right mix of strategies to fully engage interested stakeholders (1 = not at all a good mix of strategies, 5 = the perfect mix of strategies to engage all interested stakeholders)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
To what extent do you have the right mix of strategies to effectively intervene with your target populations (1 = not at all a good mix of strategies for the target population, 5 = the perfect mix of strategies for the target population)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
To what extent do you have the right mix of strategies to provide a reasonably comprehensive approach to your “highest priority” problems (1 = not at all a comprehensive approach to the priorities, 5 = a very comprehensive approach to the priorities)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Practical Fit	1	2	3	4	5	unsure
How feasible is implementing the strategy given the existing financial, human, technical, etc. <i>resources of the community</i> (1 = not at all feasible, 5 = extremely feasible)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
To what extent does the <i>coalition or the organization responsible</i> for implementing the strategy have the necessary resources (1 = the coalition or organization has no resources, 5 = they have all necessary resources)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

	1	2	3	4	5	unsure
How feasible is implementing the strategy given the <i>community's existing capacity</i> —skills, knowledge, partnerships, etc. (1 = not at all feasible, 5 = extremely feasible)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
To what extent do <i>the individuals who will be responsible for implementing</i> the strategy have the necessary capacity (1 = they have no capacity, 5 = they have all necessary capacity)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
How feasible is it to ensure adequate <i>capacity is built among those who will be responsible for implementing</i> the strategy (1 = not at all feasible, 5 = extremely feasible)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
How feasible is implementing the strategy given the community's <i>existing readiness</i> —willingness to act and support the goals of reducing the priority problems (1 = not at all feasible, 5 = extremely feasible)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
To what extent do <i>coalition members</i> support the implementation of this strategy (1 = no members support it, 5 = all members support it)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
To what extent does the coalition have the necessary stakeholder buy-in to implement this strategy (1 = no stakeholder buy-in, 5 = all necessary stakeholder buy-in)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
To what extent does this strategy add to or reinforce current prevention efforts—vs. being duplicative or a stand-alone effort (1 = it contradicts or competes with other efforts, 5 = it greatly adds to and reinforces other efforts)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
To what extent does this strategy meet the various cultural needs of the community; is it culturally feasible given the values of the community (1 = it does not need various needs or is not at all culturally feasible, 5 = it meets various cultural needs and is very culturally feasible)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
How likely is it that you can make necessary cultural adaptations without compromising fidelity (1 = not at all likely, 5 = very likely)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
How likely is it that, given the timeframes of the SPF SIG project, can you implement this strategy before the end of the grant (1 = not at all likely, 5 = very likely)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
How sustainable is this strategy; can it continue to be effective beyond grant period (1 = not at all sustainable without grant funding, 5 = very sustainable without grant funding)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
To what extent can this strategy be evaluated (1 = not evaluable, 5 = very evaluable)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
To what extent does this strategy align with your coalition's mission and focus (1 = no alignment, 5 = a high degree of alignment)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
To what extent do you have enough funding, resources, and expertise to implement the strategy as it was designed (1 = not nearly enough, 5 = more than enough)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

	1	2	3	4	5	unsure
To what extent do you have the support of key community stakeholders who can serve as effective program champions (1 = no potential champions, 5 = many potential champions)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
To what extent is the community ready to embrace/support the proposed strategy (1 = no community readiness, 5 = a great deal of community readiness)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
To what extent does the strategy build on prevention work already in place (1 = it starts from scratch, 5 = it expands greatly upon existing prevention work that is effective)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
How prepared are you with the right resources and expertise to make any cultural specific/local adaptations that may be necessary (1 = not at all prepared, 5 = very prepared)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Evidence-Based	1	2	3	4	5	unsure
Which of SAMHSA's definitions of evidence-based does the strategy meet (1 = definition one, 2 = definition two, 3 = definition three, 4 = none, check all that apply)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	NA	<input type="checkbox"/>
How relevant is the evidence behind the strategy given your community's characteristics—size, location, demographics, etc. (1 = not at all relevant, 5 = very relevant)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
How strong is the evidence (how good are the outcomes) behind the strategy (1 = very weak evidence/statistically insignificant outcomes, 5=very strong/statistically significant outcomes)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
How confidently would you be able to describe and defend the research that supports the effectiveness of this strategy (1 = not confidently, 5 = very confidently)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
How similar are your community's cultural attributes to those of the study communities where the strategy has shown positive results (1 = the study communities had very different cultural attributes, 5 = the study communities had very similar cultural attributes)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
To what extent have the results been replicated successfully by different researchers or providers (1 = the results have not been replicated by others, 5 = the results have been replicated by many)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
To what extent has the strategy demonstrated effectiveness for risk factors or local conditions similar to those you hope address (1 = the results have not been effective for our community's local conditions or risk factors, 5 = the results have been very effective for local conditions or risk factors similar to our community's)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

MN SPF SIG Strategy Selection Worksheet

Complete this worksheet by detailing all strategies being proposed for inclusion in your
Community Strategic Plan.

Grantee/Coalition:


Intervening Variable	Prioritized Local Condition	Strategies & Corresponding Activities	Conceptual Fit Rating (1-5, 1 being no fit, 5 being perfect fit)	Practical Fit Rating (1-5, 1 being no fit, 5 being perfect fit)	Evidence of Effectiveness (SAMHSA Definition 1-3)
Retail Access/Availability					
Social Access/Availability					
Enforcement					
Pricing and Promotion					
Community Norms					
Individual Factors					

Types of Strategies Not Likely to be Approved as Evidence-Based for Inclusion in Minnesota SPF SIG Grantee Strategic Plans

We have learned a lot over the past 30 years about what works in prevention. Many of the types of strategies listed below have been widely implemented across the nation and in Minnesota; however, research has shown that on their own, these strategies are not effective at reducing substance abuse, or in some cases, may even cause harm.

There is a difference between being ineffective and being ineffective at reducing substance abuse. Some programs designed to reduce substance abuse, such as the old DARE program, may have been effective at things like building relationships between law enforcement and schools or building morale among police officers, but they have not achieved a decrease in youth substance abuse. These types of programs are not always all bad; sometimes they simply are not the best way to utilize limited resources when the ultimate goal is to decrease substance abuse.

Utilizing a strategic planning process that includes consideration of the SPF outcome-based prevention model (see below) can help ensure that prevention strategies will have a direct impact on the desired outcomes communities are hoping to achieve.



It is important to note that some of the types of activities listed below may be approved in SPF SIG Community Plans if they are a *component* of another evidence-based strategy and are not sending a message that is inconsistent with other prevention messages. Strategies that may cause harm or may undermine other efforts will not be approved under any circumstances.

Lastly, it should not be assumed that strategies not included in the table below will be considered effective. Each community should “dig deeper” into the actual research to gain a better understanding of study findings.

Type of Strategy & Examples	Why the Strategy May Not be Effective in Preventing Substance Abuse	References for More Information (links to other lit reviews and research)
1. Alternative Activities <ul style="list-style-type: none"> • Drug-free Dances • Recreational Activities 	<p>Though these activities bring members of a target population together, they are usually expensive and have no evidence that they impact identified intervening variables.</p> <p>These activities alone do not provide essential social and critical thinking skills.</p> <p>Activities that promote healthy messages and “social skills development and mental health promotion” are much more effective than programs simply offering a drug-free environment.</p>	<p>A Review of Alternative Activities and Alternative Programs in Youth-Oriented Prevention http://vww.dmhas.state.ct.us/sig/pdf/CSAPTechReport13.pdf</p> <p>Ineffective Prevention Strategies http://www.education.ne.gov/federalprograms/sdfs/Promising_Prev_Practices/Ineffective Prevention Strategies.html</p>

Type of Strategy & Examples	Why The Strategy May Not be Effective in Preventing Substance Abuse	References for More Information (links to other lit reviews and research)
<p>2. Instructional Programs that Focus on Scare Tactics or Fear Arousal</p> <ul style="list-style-type: none"> • Mock Car Crashes • Fatal Vision Goggles • Scared Straight Programs 	<p>Scare tactics can be <i>counter-productive</i> when exaggerated danger, false information, or biased presentations are delivered. Teens tend to disbelieve the message and discredit the messenger, especially when youth have access to contrary information and experience.</p> <p>Students tend to remember the destruction, sadness or horror of the experience without relating it to their future behavior. Reflection or intention – impact may be strongest on those who have already committed to not using.</p> <p>Studies show that the effects on attitudes towards drinking and driving of fatal vision goggles disappear after four weeks and do not result in a decrease in actual drunken driving behaviors.</p>	<p><u>Ineffective Prevention Strategies</u> http://www.education.ne.gov/federalprograms/sdfs/Promising_Prev_Practices/Ineffective_Prevention_Strategies.html</p> <p><u>Don't Do It! Ineffective Prevention Strategies</u> http://www.cde.state.co.us/cdeprevention/download/pdf/Ineffective_Damaging_Strategies.pdf</p> <p><u>Scared Straight and Other Juvenile Awareness Programs for Preventing Juvenile Delinquency: A Systematic Review of the Randomized Experimental Evidence</u> http://www.sagepub.com/isw6/articles/ch15petrosino.pdf</p> <p>Jewell, Jeremy and Stephen Hupp. "Examining the Effects of Fatal Vision Goggles on Changing Attitudes and Behaviors Related to Drinking and Driving." <i>Journal of Primary Prevention</i> 26.6. (2005): 553-565.</p>
<p>3. Instructional Programs that Focus Only on Self-Esteem Enhancement</p> <ul style="list-style-type: none"> • Self-esteem Enhancement Activities 	<p>Programs that are characterized by very little drug information and skill building, but focus primarily on the self-esteem and emotional wellbeing of participants demonstrate little impact on substance abuse behaviors.</p>	<p><u>Ineffective Prevention Strategies</u> http://www.education.ne.gov/federalprograms/sdfs/Promising_Prev_Practices/Ineffective_Prevention_Strategies.html</p>
<p>4. Awareness Days or Assemblies for Student Audiences</p> <ul style="list-style-type: none"> • Motivational or Cautionary Speakers and Assemblies 	<p>One-time events demonstrate little or no impact, and any impact is short-lived.</p> <p>These assemblies are often referred to as "powerful," however the emotional effects observed are not only temporary, but they don't translate to changes in behavior.</p>	<p><u>Don't Do It! Ineffective Prevention Strategies</u> http://www.cde.state.co.us/cdeprevention/download/pdf/Ineffective_Damaging_Strategies.pdf</p> <p><u>Ineffective Prevention Strategies</u> http://www.education.ne.gov/federalprograms/sdfs/Promising_Prev_Practices/Ineffective_Prevention_Strategies.html</p>
<p>5. Instructional Programs that Focus Only on Social Influence</p> <ul style="list-style-type: none"> • Some Peer-to-Peer Programs • Stand-alone Social Norms Campaigns 	<p>Social marketing and public awareness campaigns can enhance prevention programming, but information dissemination as a stand-alone strategy has not demonstrated effectiveness.</p> <p>This type of program will only be considered if in conjunction with other evidence-based practices it may support.</p>	<p><u>Youth Violence: A Report of the Surgeon General</u> http://www.ncbi.nlm.nih.gov/books/NBK44294/</p> <p><u>Guidelines and Benchmarks for Prevention Programming</u> http://vv.dmhas.state.ct.us/sig/pdf/GuidelinesBenchmarks.pdf</p>

Type of Strategy & Examples	Why These Strategies May Not be Effective in Preventing Substance Abuse	References for More Information (links to other lit reviews and research)
<p>6. Extremely Harsh Deterrent Punishment</p> <ul style="list-style-type: none"> • School-based Zero Tolerance Approaches Resulting in Suspension, Expulsion, or Transfer to Alternative Schools 	<p>Parents and youth are likely to remain silent in order to protect the offender from punitive policies.</p> <p>Observers fear only the associated consequence of the offender.</p> <p>Placing youth offenders with other, perhaps more delinquent offenders can have significantly harmful effects.</p> <p>Underlying problems are often never addressed; therefore, the behavior continues.</p>	<p><u>Youth Violence: A Report of the Surgeon General</u> http://www.ncbi.nlm.nih.gov/books/NBK44294/</p> <p><u>Don't Do It! Ineffective Prevention Strategies</u> http://www.cde.state.co.us/cdeprevention/download/pdf/Ineffective_Damaging_Strategies.pdf</p> <p><u>Malignant Neglect: Substance Abuse and America's Schools</u> http://www.omegalabs.net/media/documents/pdf/MalNeglect.pdf</p>
<p>7. Some Harm Reduction Models</p> <ul style="list-style-type: none"> • Designates Driver and Sober Ride Services 	<p>Harm reduction programs can send mixed messages and have mixed results on participants.</p> <p>Designated driver programs may increase the number of people reporting that they always use a designated driver and, in some cases, may prevent extremely intoxicated individuals from driving after drinking, but this model gives permission to non-drivers to drink more. Several studies have found that non-drivers actually consume more alcohol when a designated driver has been identified.</p> <p>Additionally, designated drivers often still drink – just less than others.</p> <p>More research is needed to determine if such harm reduction programs decrease other alcohol-related problems, such as alcohol-related crashes.</p>	<p>Babor, Thomas F., et al. <i>Alcohol: No Ordinary Commodity</i>. Oxford: Oxford University Press, (2003).</p> <p><u>Effectiveness of Designated Driver Programs for Reducing Alcohol-Impaired Driving: A Systematic Review</u> http://www.thecommunityguide.org/mvoi/mvoi-AJPM-evrev-d-driver.pdf</p>
<p>8. Instructional Programs that Focus Only on Dissemination of Information about Drugs</p> <ul style="list-style-type: none"> • Curricula Solely Focused on Drug Facts • Health Fairs • One-time Drug Facts Presentations 	<p>When used alone, knowledge-oriented interventions designed to supply information about the negative consequences of substance use do not produce measurable and long-lasting changes in substance use-related behaviors or attitudes.</p> <p>These programs are considered among the least effective educational strategies.</p>	<p><u>How Effective Is Drug Abuse Resistance Education? A Meta-Analysis of DARE Outcome Evaluations</u> http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1615171/pdf/amjph00460-0036.pdf</p> <p>Tobler, Nancy S. and Howard Stratton. "Effectiveness of School-based Prevention Programs: A Meta-analysis of the Research." <i>Journal of Primary Prevention</i> 18.1 (1997): 71-128.</p>

C. Peer Reviewed Journals: Public Health/Substance Abuse & Prevention

Public Health

American Journal of Public Health

<http://ajph.aphapublications.org/>

The *American Journal of Public Health*® (AJPH®) is dedicated to the publication of original work in research, research methods, and program evaluation in the field of public health. The mission of the journal is to advance public health research, policy, practice, and education. Celebrating over 100 years, AJPH is the official journal of the American Public Health Association.

Information for authors and reviewers: <http://ajph.aphapublications.org/page/authors.html>

The Journal of the American Medical Association

<http://jama.ama-assn.org/>

JAMA, published continuously since 1883, is an international peer reviewed general medical journal published 48 times per year.

Instructions for authors: <http://jama.jamanetwork.com/public/forauthors.aspx>

Journal of Public Health

<http://jpubhealth.oxfordjournals.org/>

The *Journal of Public Health* invites submission of papers on any aspect of public health research and practice. We welcome papers on the theory and practice of the whole spectrum of public health across the domains of health improvement, health protection and service improvement, with a particular focus on the translation of science into action.

Papers on the role of public health ethics and law are welcome. They aim to promote the highest standards of public health practice internationally through the timely communication of current, best scientific evidence.

Instructions for authors: http://www.oxfordjournals.org/our_journals/pubmed/for_authors/index.html

Journal of Public Health Policy

<http://www.palgrave-journals.com/jphp/index.html>

The *Journal of Public Health Policy* is committed to providing an accessible source of scholarly articles on the epidemiologic and social foundations of public health policy, rigorously edited, and progressive. The Journal publishes articles from all over the world that can inform policy in other communities, countries or regions. Our aim is to provide a platform to inform debates about public health policy globally.

Instructions for authors: <http://www.palgrave-journals.com/jphp/about.html>

Public Health

<http://ees.elsevier.com/puhe/>

Public Health is an international, multidisciplinary peer reviewed journal. It publishes original papers, reviews and short reports on all aspects of the science, philosophy, and practice of public health.

It is aimed at all public health practitioners and researchers and those who manage public health services and systems. This includes public health doctors, nurses, dentists, pharmacists, demographers, epidemiologists, health education and promotion specialists, environmental health specialists, and other

specialists and scientists in the field of public health. It will also be of interest to anyone involved in provision of public health programs, the care of populations or communities and those who contribute to public health systems in any way.

Guide for authors:

http://www.elsevier.com/wps/find/journaldescription.cws_home/645727/authorinstructions

Social Science and Medicine

<http://www.journals.elsevier.com/social-science-and-medicine/>

Social Science & Medicine provides an international and interdisciplinary forum for the dissemination of social science research on health. We publish original research articles (both empirical and theoretical), reviews, position papers and commentaries on health issues, to inform current research, policy and practice in all areas of common interest to social scientists, health practitioners, and policy makers. The journal publishes material relevant to any aspect of health from a wide range of social science disciplines (anthropology, economics, epidemiology, geography, policy, psychology, and sociology), and material relevant to the social sciences from any of the professions concerned with physical and mental health, health care, clinical practice, and health policy and organization. We encourage material which is of general interest to an international readership.

Guide for Authors:

http://www.elsevier.com/wps/find/journaldescription.cws_home/315/authorinstructions

Substance Abuse/Prevention with Public Health Component

Addiction

<http://www.addictionjournal.org/>

Published on behalf of the Society for the Study of Addiction, *Addiction*, a peer reviewed journal, publishes international research offering a forum for debate with editorials, commentaries, interviews with leading figures in the field, and a comprehensive book review section.

Instructions for authors: <http://www.addictionjournal.org/authorinst.asp>

Journal of Behavioral Health Services & Research (Amy Ward recommendation)

<http://www.springer.com/public+health/journal/11414>

The Journal of Behavioral Health Services & Research (JBHS&R) is a peer reviewed, multidisciplinary journal that publishes articles on the organization, financing, delivery, and outcomes of behavioral health services, including mental health, alcohol, and substance abuse. JBHS&R provides practical and empirical contributions and explains the implications of each research article. Each issue includes an overview of contemporary concerns and recent developments in behavioral health policy and management through research articles, policy perspectives, commentaries, brief reports, and book reviews.

Information for authors: <http://www.editorialmanager.com/jbhs/>

Harm Reduction Journal

<http://www.harmreductionjournal.com>

This is a peer reviewed, online journal whose focus is on prevalent patterns of psychoactive drug use, the public policies meant to control them, and the search for effective methods of reducing the adverse medical, public health, and social consequences associated with both drugs and drug policies.

Instructions for authors: <http://www.harmreductionjournal.com/authors/instructions>

Mental Health and Substance Abuse: dual diagnosis

<http://www.informaworld.com/smpp/title~db=all~content=g790361739~tab=summary>

This peer reviewed journal focuses on concerns specifically related to coexisting mental health and substance use, referred to by some as 'dual diagnosis.' It covers assessment, intervention, treatment, prevention, innovation, opinion, conceptual exploration and analysis, service delivery, service development, policy and procedure, research and debate.

Instructions for authors:

<http://www.tandfonline.com/action/authorSubmission?journalCode=rmhs20&page=instructions>

Prevention Science

<http://www.springer.com/public+health/journal/11121>

Prevention Science serves as an interdisciplinary forum designed to disseminate new developments in the theory, research and practice of prevention. Prevention sciences encompassing etiology, epidemiology and intervention are represented through peer reviewed original research articles on a variety of health and social problems, including but not limited to substance abuse, mental health, HIV/AIDS, violence, accidents, teenage pregnancy, suicide, delinquency, STD's, obesity, diet/nutrition, exercise, and chronic illness.

Instructions for authors: <http://www.editorialmanager.com/prev/>

Substance Abuse Treatment, Prevention, and Policy

<http://www.substanceabusepolicy.com>

This is an open access, peer reviewed online journal that encompasses various aspects of research concerning substance abuse, with a focus on policy issues. The journal aims to provide an environment for the exchange of ideas, new research, consensus papers, and critical reviews, to bridge the established fields that share a mutual goal of reducing substance abuse. These fields include: legislation pertaining to substance abuse; correctional supervision of substance abusers; medical treatment and screening; mental health services; research; and evaluation of substance abuse programs.

Instructions for authors: <http://www.substanceabusepolicy.com/authors/instructions>

D. Incorporating Innovative Approaches


SPF SIG grantees, like many other substance abuse prevention grantees, are required to implement evidence-based strategies. The SPF SIG Advisory Council, in collaboration with the MN Evidence-based Practices Workgroup, determined the requirement that 70% of the strategies approved for implementation must meet one of SAMHSA's three definitions of evidenced-based. This means 30% of the strategies grantees select can be considered promising or innovative.

There are many reasons why the team did not establish a requirement that all strategies must be evidence-based, but a primary driver behind the decision is the lack of evidence for minority populations and many environmental approaches. We know that environmental strategies have a greater potential to create population-level change, however, they are often difficult to evaluate. It is extremely challenging to isolate and control contributing factors and draw conclusions about the effectiveness of one particular policy change or environmental strategy. This is one reason the research is lacking.

Additionally, the team wanted to leave room for creativity, homegrown programming, or "Practice-Based Evidence," which honors the notion that the solutions to community problems come from within the community. Innovation, however, needs to be carefully weighed and considered within the broader context of the mix of strategies being implemented. Innovative approaches must also be consistent with the messages of other efforts. These prevention strategies should never undermine or contradict the evidence-based work being done.

Lastly, our prevention resources are few and precious. Prevention planners need to foresee where they will get the "biggest bang for their buck," and seriously consider where prevention funds, often taxpayer supported, are best used. Innovative programming may be most appropriate where there is an unmet need in the community, and the prevention research has not yet identified an appropriate evidence-based response.

E. SAMHSA's Strategic Prevention Framework



Assessment

Profile population needs (including the review and collection of epidemiological data and data regarding intervening variables), capacity, resources, and readiness to address needs and gaps

Capacity

Mobilize and/or build capacity to address needs

Planning

Develop a comprehensive strategic plan

Implementation

Implement evidence-based prevention programs, practices, and policies

Evaluation

Monitor, evaluate, sustain, and improve or replace those that fail

Sustainability

The process of ensuring an adaptive and effective substance abuse prevention system that achieves long-term results and outcomes

Cultural Competence


A set of congruent behaviors, attitudes and policies that come together in system, agency or among professionals and enable that system, agency or those professionals to work effectively with ALL people, and in cross-cultural situations

Key Principles of the SPF

- The SPF takes a **public health approach** to *prevent* substance abuse and related problems.
- The SPF is a **data-driven** process; data are used throughout all five steps to inform decisions.
- The SPF supports **collaborative leadership**.
- The SPF is a **strategic planning process** that helps communities ensure that selected prevention strategies *logically* impact the underlying causes of substance abuse problems to create change.
- The SPF utilizes **outcome-based prevention**.

Public Health Approach

In a public health model, we are interested in learning about the relationship between three elements: the agent (ATOD), the host (the ATOD user), and the environment (climate that encourages, discourages, or sustains substance use). The goal is to determine where we can best intervene. Throughout history, we tend to have focused on the host, but the SPF requires us to look at the broader environment, in which the host lives and consumes ATOD.



Elements of a Public Health Approach:

- Multidisciplinary
- Entire population vs. individual
- Community = the “patient” and instrument of change
- Proactive & preventive vs. treatment
- Focus on the environment

Data-Driven

Like any decision making process, we need to make sure we have the right data needed to make informed decisions in every step of the SPF. These data include:

- Epidemiological data
 - Population survey data (i.e. MSS)
 - Consequence of abuse data
 - Indirect indicator data
- Data regarding readiness, resources, capacity, and gaps in services
- Data reflecting the effectiveness of strategies implemented in other communities that we are considering
- Implementation data (process data)
- Other outcome evaluation data, as appropriate

Collaborative Leadership

The SPF requires a commitment to collaboration from a broad group of community stakeholders. Two national experts on the topic of collaborative leadership, David Chrislip & Carl Larson, have stated, “If you bring the appropriate people together in constructive ways with good information, they will create authentic visions and strategies for addressing shared concerns of their organizations or community.” This illustrates the process the SPF model supports in addressing substance abuse problems.

Strategic Planning Process

Intentional planning gives us the best chance at being successful the first time around. If you think about the SPF being a roadmap, it is extremely important to have an *understanding of where Point A and Point B are*. When time and money are limited, it is absolutely crucial to *plan your route* before you take off. Knowing up front *what resources* you have and *what roadblocks* you may encounter will help you identify the best route.


The SPF walks us through a planning process of identifying a starting point and destination, understanding your environment and existing and needed resources, anticipating roadblocks, knowing when and how to take detours, and how you’ll know when you’ve arrived.

Outcome-based Prevention

Requires a clear understanding of:

1. The problem (substance abuse patterns and related consequences)
2. Why the problem exists (intervening variables and local conditions)
3. What change you hope to create (desired outcomes) across a population
4. What needs to be in place in order for change can occur
5. How certain programs, policies, and practices will address the local conditions and intervening variables and will affect change in the identified problems
6. How you will know when change has occurred

A logic model, such as the SPF model below, helps you map out all of these steps and can help a community avoid implementing strategies that won't lead to desired change.



F. Glossary of Minnesota Prevention Terms & Acronyms

Below are definitions of some of the terms commonly used in the Minnesota SPF SIG program.

ADAD: Acronym referring to the Minnesota Department of Human Services Alcohol and Drug Abuse Division. ADAD administers the Minnesota SPF SIG funding, houses the project staff, and oversees all activities of the SPF SIG.

Adaptation: Modification made to a chosen intervention; changes in audience, setting, and/or intensity of program delivery. Research indicates that adaptations are more effective when (a) underlying program theory is understood; (b) core program components have been identified; and (c) both the community and needs of a population of interest have been carefully defined. Research also indicates that success improves when adaptations are handled as additions to, rather than deletions of, program components.

Age of Onset: In substance abuse prevention, the age of first use of alcohol, drugs or tobacco.

Anecdotal Evidence: Information derived from a subjective report, observation, or example that may or may not be reliable but cannot be considered scientifically valid or representative of a larger group or of conditions in another location.

Assessment: Assessment involves the collection of data to profile population needs, resources, and readiness to address needs and gaps within a geographic area. The assessment identifies, analyzes, and depicts the nature and extent of a problem in the community. Based on these data, a subset of modifiable factors or conditions are selected as the focus of the coalition's prevention strategies.

Asset Mapping: The process of cataloging the resources of a community.

ATOD: Acronym for alcohol, tobacco, and other drugs.

Baseline Data: The initial information collected prior to the implementation of an intervention, against which outcomes can be compared at strategic points during and at completion of an intervention.

Capacity: Generally refers to the skills, infrastructure, and resources of organizations and communities that are necessary to effect and maintain behavior change.

Capacity Building: Increasing the ability and skills of individuals, groups, and organizations to plan, undertake, and manage initiatives. It involves the attainment of necessary relationships and knowledge and the mobilization of resources within a community. It also enhances the capacity of the individuals, groups, and organizations to deal with future issues or problems.

Coalition: A union of people and organizations working for a common cause.

Collaboration: The act of working jointly or in partnership with groups or organizations, often ones with whom no previous connections had existed, toward a common goal. Collaboration is an important concept in prevention, community development, technology transfer, and all social change activities.

Community: The intended area of focus for a coalition's work. For the Minnesota SPF SIG Project, community is defined by the geographical area the coalition intends to impact.

Community-level Change: Change that occurs across the population of focus in your community.

Community Readiness: The community's level of awareness of, interest in, and ability and willingness to support substance abuse prevention initiatives. More broadly, connotes readiness for changes in community knowledge, attitudes, motives, policies, and actions.

Consequences: The social, economic and health problems associated with the use of alcohol and illicit drugs e.g., illnesses related to alcohol (cirrhosis, fetal effects), drug overdose deaths, crime, and car crashes or suicides related to alcohol or drugs.

Consumption Patterns: In ATOD, the way in which people drink alcohol, smoke and use drugs. Consumption includes overall consumption, acute or heavy consumption, consumption in risky situations (e.g., drinking and driving) and consumption by high-risk groups (e.g., pregnant women).

CSAP: Acronym for the Center for Substance Abuse Prevention, part of the (Federal) Substance Abuse and Mental Health Services Administration (also see SAMHSA). CSAP administers the SPF SIG program and oversees the work of Minnesota's project.

Cultural Competence: (1.) A set of congruent behaviors, attitudes and policies that come together in system, agency or among professionals and enable that system, agency or those professionals to work effectively in cross-cultural situations. (2.) The attainment of knowledge, skills, and attitudes to enable administrators and practitioners to provide for diverse populations. This includes an understanding of that group's or members' language, beliefs, norms, and values, as well as socioeconomic and political factors that may have a significant impact on their well-being, and incorporating those variables into programs.

Cultural Diversity: The existence of multiple cultural groups at all levels of a community or organization; also the deliberate inclusion of diverse cultural groups in community or organizational planning and development.

Culturally Specific Services: Services targeted to comprehensively address the needs of an individual cultural group and foster positive cultural identity development. Services intentionally allow for culture to affect and guide, to ensure that the services are responsive to the unique needs of the population receiving them.

Data-driven: A process whereby decisions are informed by and tested against systematically gathered and analyzed information.

Demographics: The statistical characteristics of human populations.

DFC: Acronym referring to SAMHSA’s Drug Free Communities Program. There are multiple DFC grantees throughout Minnesota, and SPF SIG sub-recipients are expected to collaborate with these communities.

DHS: Acronym referring to the Minnesota Department of Human Services, the State agency that houses the Alcohol and Drug Abuse Division (also see ADAD).

Domain: Sphere of activity or affiliation within which people live, work, and socialize (e.g., self, peer, school, workplace, community).

Environmental Factors: Those factors that are external or perceived to be external to an individual but that may nonetheless affect his or her behavior. At the broader level, these refer to social norms and expectations as well as policies and their implementation.

Environmental Strategies: Prevention efforts that aim to change the context in which substances are used or influence community standards, institutions, structures, and attitudes that shape individuals’ behaviors.

EBPW: Acronym for the Minnesota Evidence-based Practices Workgroup. This workgroup was established under the SPF SIG and is responsible for adopting definitions and developing tools and guidance around appropriate strategy selection. The EBPW will also be reviewing the SPF SIG sub-recipient Strategic Plans for approval.

Epidemiology: Epidemiology is the study of the distribution and determinants of disease within a Population, the study of health data.

Evaluation: A systematic, data-driven examination of coalition development, functioning, outcomes, and effectiveness, or the examination of changes occurring as a result of a program, strategy, or intervention.

Evidence-based Program, Practices, and Polices: Prevention strategies that are proven to have produced positive change. SAMHSA/CSAP presents three definitions of “evidence-based,” which the EBPW has adopted for use in Minnesota.

Fidelity: Fidelity is the degree to which a specific implementation of a program or practice resembles, adheres to, or is faithful to the model on which it is based.

Goal: A broad statement of what the coalition intends to accomplish. For SPF SIG, goals are related to the changes sub-recipients hope to make in the three SPF SIG Priority Problems.

High-risk (aka “At-risk”): The condition of being more likely than average to develop an illness or condition, such as substance abuse, because of some predisposing factor such as family history or the display of other problem behaviors.

High-risk Sub-populations: For SPF SIG, sub-groups of the target populations (6th through 12th graders and 18-25 year-olds) who are at higher risk for underage and binge drinking.

Incidence: The number of new cases of a disease or occurrences of an event in a particular time period, usually expressed as a rate, with the number of cases as the numerator and the population at risk as the denominator. Incidence rates are often presented in standard terms, such as the number of new cases per 100,000 population.

Implementation: Taking action guided by the Strategic Plan. Progress toward achieving objectives related to the goal of changing behavior is made through the implementation of related activities.

Intervening Variables: Factors that have been identified through research as being strongly related to and influential in the occurrence and magnitude of substance use problems and consequences. The Minnesota SPF SIG Project has adopted the following six categories of intervening variables: retail access/availability, social access/availability, enforcement, pricing and promotion, community norms, and individual factors. Also see *Local Conditions*.

Intervention: An activity or set of activities to which a group is exposed in order to change the group's behavior. In substance abuse prevention, interventions may be used to prevent or lower the rate of substance abuse or substance abuse-related problems.

IOM Categories: Institute of Medicine's characterization of prevention interventions into three categories: Universal, Selected, and Indicated.

- **Universal** interventions target general populations without regard to individual risk factors.
- **Selective** interventions target subgroups of the general population that are determined to be at higher risk for substance abuse. People are recruited to participate because of the subgroup's profile of high risk, not because of an individual's assessment as being at high risk.
- **Indicated** intervention programs target individuals identified as experiencing early signs of substance abuse and other related problem behaviors, but who do not meet the criteria for addiction. They are designed to address multiple risk factors in individuals/families. People are recruited to participate because of their individual profile of being at high risk and the display risky behavior.

Local Conditions: Local measures of intervening variables that describe why something is or is not a problem in each unique community—how the intervening variable manifests itself at the local level.

Logic Model: A graphic depiction or map of the relationships between the local substance abuse problem, the risk/protective factors (intervening variables) and local conditions that contribute to it, and the interventions known to be effective in altering those underlying factors and conditions. An evaluation logic model is a tool for describing the relationships between resources, activities, and expected outcomes. An evaluation logic model illustrates the underlying program theory and serves as framework for the evaluation.

Methodology: A procedure for collecting data.

Mobilization: The process of bringing together and putting into action volunteers community stakeholders, staff, and/or other resources in support of one or more prevention initiatives.

Morbidity: The presence of a condition, illness, or disease.

Mortality: A fatal outcome, or death.

Norms: A behavior or belief of a community that represents the majority.

Objectives: What is to be accomplished during a specific period of time to move toward achievement of a goal, expressed in specific, measurable terms. For SPF SIG, objectives describe the desired changes in local conditions and intervening variables.

Outcomes: The extent of change in targeted attitudes, values, behaviors, or conditions between baseline measurement and subsequent points of measurement. Depending on the nature of the intervention and the theory of change guiding it, changes can be short-term, intermediate, or long-term.

Outcome Measures: Assessments that gauge the effect or results of services provided to a defined population. Outcomes measures include the consumers' level of knowledge or skills and perception of quality of life, as well as objective measures of mortality, morbidity, and health status.

Populations Requiring Culturally Specific Programming: Subgroups of the community or groups of individuals who require culturally specific or tailored services in order for prevention messages or programming to be effective. This may involve adaptations such as changing the language of the prevention message, changing the delivery method, or adding cultural information to the content to make it more relevant. These sub-groups may or may not be at higher risk.

Prevalence: The number of all new and old cases of a disease or occurrences of an event during a particular time period, usually expressed as a rate, with the number of cases or events as the numerator and the population at risk as the denominator. Prevalence rates are often presented in standard terms, such as the number of cases per 100,000.

Prevention: Prevention is a proactive process that empowers individuals and systems to meet the challenges of life events and transitions by creating and reinforcing conditions that promote healthy behaviors and lifestyles. The goal of substance abuse prevention is the fostering of a climate in which (a) alcohol use is acceptable only for those of legal age and only when the risk of adverse consequences is minimal; (b) prescription and over-the-counter drugs are used only for the purposes for which they were intended; (c) other abusable substances (e.g., aerosols) are used only for their intended purposes; and (d) illegal drugs and tobacco are not used at all.

Process Measures/Indicators: Measures of participation, "dosage," staffing, and other factors related to implementation. Process measures are not outcomes, because they describe events that are inputs to the delivery of an intervention.

Program: A coordinated set of activities designed to achieve specific objectives over a period of time.

Protective Factors: Factors that increase an individual's ability to resist the use of drugs (e.g., strong family bonds, external support systems, problem solving skills).

Qualitative Data: Qualitative data are records of thoughts, observations, opinions, or words. Qualitative data typically come from asking open-ended questions to which the answers are not limited by a set of choices or a scale. Examples of qualitative data include answers to questions and are used only if the

user is not restricted by a pre-selected set of answers. Qualitative data are best used to gain answers to questions that produce too many possible answers to list them all or for answers that you would like in the participant's own words.

Quantitative Data: Quantitative data are numeric information that includes things like personal income, amount of time, or a rating of an opinion on a scale. Even things that you do not think of as quantitative, like feelings, can be collected using numbers if you create scales to measure them. Quantitative data are used with closed-ended questions, where users are given a limited set of possible answers to a question. They are for responses that fall into a relatively narrow range of possible answers.

Resilience: Resilience is either the capacity to recover from traumatically adverse life events and other types of adversity and achieve eventual restoration or improvement of competent functioning or the capability to withstand chronic stress and to sustain competent functioning despite ongoing stressful and adverse life conditions.

Resources: Anything that can be used to improve the quality of community life—the things that can help close the gap between what is and what ought to be. There are many types of resources, including human resources, technical resources, financial resources, etc.

Risk Factors: Individual characteristics and environmental influences associated with an increased vulnerability to the initiation, continuation, or escalation of substance use.

SAMHSA: Acronym for the Substance Abuse and Mental Health Services Administration, the federal agency charged with focusing attention, programs, and funding on improving the lives of people with or at risk for mental and substance abuse disorders. SAMHSA houses the Center for Substance Abuse Prevention, the agency responsible for administering the SPF SIG Program (also see CSAP).

SEOW: Acronym for State Epidemiological Outcomes Workgroups. The SEOW is a group that has been compiling and monitoring substance abuse data since 2006. The SEOW has contributed significantly to the SPF SIG project and collaborates with the SPF SIG Advisory Council and staff on data-related activities, including the identification of SPF SIG priorities, the development of the 18-25 year old survey (Young Adult Alcohol Survey), the development of the Local Epidemiologic Profile Template, and the evaluation of community data sources.

SPF SIG: Acronym for the Strategic Prevention Framework State Incentive Grant.

Stakeholder: An individual, organization, constituent group, or other entity that will be affected by prevention activities or has an interest in the activities or outcomes of a substance abuse intervention.

Strategic Planning: A deliberate set of steps that consider needs and resources; define target audiences and a set of goals and objectives; plan and design coordinated strategies with evidence of success; logically connect these strategies to needs, assets, and desired outcomes; and measure and evaluate the process and outcomes.

Strategy: The overarching approach of a coalition to achieve intended results, including programs, practices, or policies.

Sub-recipient Communities: The entities that receive funds from the State of Minnesota to carry out SPF SIG activities or prevention interventions. The term *sub-recipients* is often used interchangeably with the term *grantee*.

Substance Abuse: Abuse of or dependency on alcohol, tobacco and other drugs. The DSM-IV definition is: The maladaptive pattern of substance use leading to clinically significant impairment or distress, as manifested by one or more of the following occurring within a 12-month period: * recurrent substance use resulting in a failure to fulfill major role obligations; * recurrent substance use in situations in which it is physically hazardous; * recurrent substance-related legal problems; and * continued substance use despite having persistent or recurrent social or interpersonal problems caused by or exacerbated by the effects of the substance.

Sustainability: (1.) The process through which a prevention system becomes a norm and is integrated into ongoing operations. Sustainability is vital to ensuring that prevention values and processes are firmly established, that partnerships are strengthened, and that financial and other resources are secured over the long term. (2.) The process of ensuring an adaptive and effective substance abuse prevention system that achieves long term results that benefit a focus population.

Target Population: The target population is the specific population of people whom a particular program or practice is designed to serve or reach. A program, practice, or policy may have direct and indirect target populations. Target populations also include high-risk sub-populations and populations requiring culturally specific efforts.

Youth: For the purposes of the SPF SIG, youth refers to either 6th-12th graders (when discussing youth past 30-day alcohol use) or 9th-12th graders (when discussing youth binge drinking).

Young Adults: For the purposes of the SPF SIG, the term *young adults* refers to persons who are between the ages of 18 and 25.